

KNOX COLLEGE D2C PEER EDUCATOR SEX ED SCIENCE FAIR

Tuesday - October 26, 2021, 6:00 pm - 8:00 pm Ferris Lounge, Seymour Union

Birth Control Methods CHEAT SHEET

Methods with less than 96% effectiveness rate in red

PILLS:

- "The Pill"
 - o Taken once a day, exactly on time, every day
 - Can be effective in stopping menstrual bleeding
 - Estrogen-based
- The mini-pill (not actually any smaller than "the pill")
 - o Taken once a day, exactly on time, every day
 - o Can be effective in stopping menstrual bleeding
 - NON-estrogen based
- Emergency contraceptive ONLY 80-95% EFFECTIVE
 - Taken within 72 hours of unprotected vaginal sex
 - NON-estrogen based

THE PATCH:

- Subtle adhesive patch replaced weekly
- Non-invasive
- Estrogen-based

THE RING:

- Small silicone ring that sits inside the vagina
- Replaced monthly
- Can be effective in stopping menstrual bleeding
- Non-invasive
- Estrogen-based

THE SHOT:

- One injection every 3 months
- Fairly effective in stopping menstrual bleeding
- Estrogen-based

IUDs (intrauterine devices):

- Small T-shaped object inserted into uterus (non-surgical)
- Mirena
 - Hormonal (NON-estrogen based)
 - Lasts for 5 years
- Kyleena
 - Hormonal (NON-estrogen based)
 - Lasts for 5 years
 - Smaller
- Copper IUD
 - Non-hormonal
 - Lasts for 10 years

THE IMPLANT:

- Inserted in the arm, under skin (non-surgical)
- Lasts for 3 years
- NON-estrogen based
- Very effective in stopping menstrual bleeding altogether

BARRIER METHODS:

- Condoms
 - o Internal (goes inside a person's vagina/anus, held in place)
 - ONLY 95% EFFECTIVE
 - External (traditional condom, rolls onto shaft of penis/toy)
- Diaphragm ONLY 94% EFFECTIVE
 - Round latex barrier inserted into vagina to cover the cervix

SPERMICIDE: ONLY 75% FFFFCTIVE

- Chemical-laced cream inserted into vagina
- Kills sperm cells
- Can cause yeast infections

